



Product Service

CERTIFICATE

No. Z2 074342 0039 Rev. 00

Model(s):

GS-W1001, GS-W1001-1, GS-W1002, GS-W1002-1, GS-W1003, GS-W1004, GS-W1004-1, GS-W1005, GS-W1006, GS-W1007, GS-W2001, GS-W2002, GS-W2003, GS-W3001, GS-W3002, GS-W4001, GS-W4001-C, GS-W4002, GS-W4002-C, GS-W5001, GS-W5002, GS-W5003, GS-W5004, GS-W501, GS-W502, GS-W6001, GS-W6002, GS-W802, GS-W802-1, GS-W802-1E, GS-W803, GS-W803-S, GS-W804, GS-W805, GS-W805 S, GS-W805-SB, GS-W806, GS-W806-A, GS-W807, GS-WA01, GS-WA02, GS-WA03, GS-WA04, GS-Ws01, GS-Ws02, GS-Ws03, Sphere L, Sphere M, Sphere S

Parameters:

Climbing nets consist of steel poles and ropes.

Nets are spanned between the poles and anchors at the ground.

The space nets are designed like pyramids.

Ropes consist of steel-loaded polyamide cables with UV guard.

Measurements: Length x Width x Height

GS-W1001 5.66 x 5.66 x 3.98 m
GS-W1001-1 4.74 x 4.74 x 3.26 m
GS-W1002 9.97 x 9.97 x 5.70 m
GS-W1002-1 7.78 x 7.78 x 4.45 m
GS-W1003 12.10 x 12.10 x 7.50 m
GS-W1004 11.50 x 11.50 x 5.70m
GS-W1004-1 5.85 x 5.85 x 3.90 m
GS-W1005 14.14 x 14.14x8.70m
GS-W1006 16.26 x 16.26 x 9.70 m
GS-W1007 20.00 x 20.00 x 11.70 m
GS-W2001 13.30 x 8.00 x 3.90 m
GS-W2002 21.40 x 14.0 x 5.70 m
GS-W2003 27.70 x 17.20 x 7.50 m
GS-W3001 13.30 x 13.30 x 3.90 m
GS-W3002 22.10 x 22.10 x 5.70 m
GS-W4001 13.00 x 13.00 x 3.90 m
GS-W4001-C 13.00 x 13.00 x 3.90 m
GS-W4002 21.40 x 21.40 x 5.70 m
GS-W4002-C 21.40 x 21.40 x 5.70 m
GS-W5001 D=5.60 x 1.20 m
GS-W5002 D=7.50 x 1.56 m
GS-W5003 D=10.28 x 1.70 m
GS-W5004 D=12.00 x 2.00 m
GS-W501 2.50 x 2.19 x 0.95 m
GS-W502 3.03 x 2.64 x 1.25 m
GS-W6001 8.20 x 8.20 x 3.90 m
GS-W6002 14.00 x 14.00 x 5.70 m
GS-W802 4.09 x 4.09 x 4.00 m
GS-W802-1 3.60 x 3.60 x 3.60 m
GS-W802-1E 5.25 x 5.25 x 3.60 m
GS-W803 3.64 x 3.64 x 3.65 m
GS-W803-S 6.38 x 3.64 x 3.65 m
GS-W804 5.65x 5.65 x 4.24 m
GS-W805 5.02 x 5.02 x 5.32 m
GS-W805-S 10.85 x 5.02 x 5.32 m
GS-W805-SB 12.42 x 6.54 x 5.32 m

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

CERTIFICATE

No. Z2 074342 0039 Rev. 00

GS-W806 4.18 x 4.18 x 3.50 m
 GS-W806-A 7.56 x 6.71 x 3.50 m
 GS-W807 4.66 x 4.66 x 4.00 m
 GS-WA01 4.39 x 0.89 x 2.50 m
 GS-WA02 4.37 x 1.15 x 2.20 m
 GS-WA03 3.99 x 3.60 x 0.50 m
 GS-WA04 5.31 x 0.86 x 2.50 m
 GS-Ws01 4.33 x 3.75 x 3.06 m
 GS-Ws02 4.38 x 4.38 x 2.77 m
 GS-Ws03 6.36 x 6.36 x 3.07 m
 Sphere L 4.25 x 4.10 x 3.57 m
 Sphere M 3.59 x 3.28 x 2.48 m
 Sphere S 2.62 x 2.39 x 1.80 m

Tested according to: EN 1176-1:2017
 EN 1176-3:2017
 EN 1176-11:2014

Production Facility(ies): 074342

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT